

Web Hosting

Specific information about features and operations for VPS-AN, VPS-LS, VPS-1, VPS-2, VPS-5, VPS-15, VPS-30, BM-XL and BM-XXL services.

- [Getting Started](#)
- [User interface overview](#)
- [Plesk](#)
- [Server access](#)
 - [Web UI](#)
 - [SSH access](#)
 - [SFTP access](#)
 - [FTP access](#)
- [Mail services](#)
 - [Configuring the DNS](#)
 - [Securing the mails delivery](#)
- [Backup & Restore](#)
 - [Backing up your Web Hosting server](#)
- [Security](#)
 - [Managing SSH keys](#)
 - [Changing your server password](#)
- [Server tools](#)
 - [Using PHP, composer and WP-CLI](#)
 - [Using Node, NPM and NPX](#)
 - [Rendering html to pdf or image](#)

Getting Started

We appreciate that you trust Hosterra to host your Internet services.

This page is a guide to help you quickly get started with your new server. We know that the Hosterra interface is probably a bit different from the ones you are used to... So you will find here links to the most useful articles to get started.

If you can't figure out how to perform an operation on your server in this startup guide, feel free to open a support request.

Access to your server

You can [access and administer your server](#) via a web interface called [Plesk](#).

Security of your server

Hosterra implements many tools to secure your server. These tools are operated by Hosterra and you don't have the ability to configure them. However, there are some actions you can take to further secure your server:

- [Change](#) the initial password of the server.
- Set up an [account delegation](#) if needed (Hosterra account).
- Create additional users for third parties.

Development and operations on your server

If you want to perform advanced management of your server or develop special things, you can use specific command line tools:

- [SSH access](#).
- Using [PHP, Composer and WP-CLI](#).
- Using [Node, NPM and NPX](#).


User interface overview

From the Hosterra dashboard, you can access the details of your Web Hosting service(s). These details are presented as follows:


HST-TEST.EU

 Overview Change Password Server - KPIs Datacenter


Web Hosting

VPS-5 Active Plesk Login


Domains




Sub-Domains




Mailboxes



Storage



Databases



Monthly Traffic



Technical details

Username

Server Name

tabarly.hosterra.tech

IP Address

51.159.214.218

Datacenter

PAR1 - Saint-Ouen l'Aumône, Paris, France

Web Server

Apache + Nginx

Billing details

Registration date
2023-07-21Recurring Amount
0,00 €Next due date
2024-07-21Billing Cycle
AnnuallyPayment Method
Stripe

Related contracts

General Sales Terms

[View](#)

Special Terms of Service

[View](#)

All documents

[View](#)

Left side menu

This menu gives you access to secondary details page to:

- change your server password;

- access environmental monitoring of the server;
- get details about the datacenter where the server is located.

Plesk access box

With the orange button, you can automatically log-in to your server, thanks to SSO.

Consumption box

Gives details about main consumption indicators.

Note these consumptions are refreshed once per hour.

Technical details

All the technical information you need to know about your server.

Billing details

A quick overview about prices and billing cycle of your server.

Related contracts

The contracts you signed when you subscribed to this offer.

Note the given link take you to the exact contracts you signed as they were at the time of signing, and therefore as they apply in your case, for this server.

Plesk

All Hosterra's web hosting servers are equipped with Plesk software, which allows you to make all the operational settings for these services.

The version of Plesk installed on your server is a special version, customised to take into account the characteristics of Hosterra servers and services. Please note that the screenshots in this book may differ slightly from what you will see on your server. This is because the version installed on your server is regularly updated and improved.

Official documentation

Plesk is a very popular and widely used piece of software. So you'll find plenty of documentation, tutorials and videos about it on the web.

The reference for using Plesk can therefore be found directly on the Plesk website:

- the [Quick Start Guide](#)
- the [Customer's Guide](#)

It contains everything you need to know to set up your server's standard functionalities correctly.

However, if you want to understand and use the features specific to Hosterra, we recommend that you read this present book too.


Server access

You can access your server via a number of methods and tools.

Web UI

The easiest way to access your server is from your [Hosterra account](#). To do this, click on the service you want to manage and then in [the service details page](#), click on the **Plesk Login** button to access the Plesk interface of your server.

You can also connect directly to your server Plesk interface with the credentials and url we sent you by email after your purchase...



SSH access

You can connect to your server via SSH in two different ways:

Web SSH access

You can access SSH directly through the Plesk web interface. To do so, connect to your server from your Hosterra account. Then go to the dashboard of the concerned domain and click on **SSH Terminal**.

Command line SSH access

For security reasons, the Web Hosting servers are only reachable via SSH with keys (and not with a password). To access to your server you have to start by **adding the key(s)** you want to use.

Once a key added to your server, you can access it by the standard way:

```
> ssh username@tabarly.hosterra.tech
```

1
 2
 3
 4
 5
 6
 7
 8
 9
 10
 11
 12
 13
 14
 15
 16
 17
 18
 19
 20
 21
 22
 23
 24
 25
 26
 27
 28
 29
 30
 31
 32
 33
 34
 35
 36
 37
 38
 39
 40
 41
 42
 43
 44
 45
 46
 47
 48
 49
 50
 51
 52
 53
 54
 55
 56
 57
 58
 59
 60
 61
 62
 63
 64
 65
 66
 67
 68
 69
 70
 71
 72
 73
 74
 75
 76
 77
 78
 79
 80
 81
 82
 83
 84
 85
 86
 87
 88
 89
 90
 91
 92
 93
 94
 95
 96
 97
 98
 99
 100
 101
 102
 103
 104
 105
 106
 107
 108
 109
 110
 111
 112
 113
 114
 115
 116
 117
 118
 119
 120
 121
 122
 123
 124
 125
 126
 127
 128
 129
 130
 131
 132
 133
 134
 135
 136
 137
 138
 139
 140
 141
 142
 143
 144
 145
 146
 147
 148
 149
 150
 151
 152
 153
 154
 155
 156
 157
 158
 159
 160
 161
 162
 163
 164
 165
 166
 167
 168
 169
 170
 171
 172
 173
 174
 175
 176
 177
 178
 179
 180
 181
 182
 183
 184
 185
 186
 187
 188
 189
 190
 191
 192
 193
 194
 195
 196
 197
 198
 199
 200
 201
 202
 203
 204
 205
 206
 207
 208
 209
 210
 211
 212
 213
 214
 215
 216
 217
 218
 219
 220
 221
 222
 223
 224
 225
 226
 227
 228
 229
 230
 231
 232
 233
 234
 235
 236
 237
 238
 239
 240
 241
 242
 243
 244
 245
 246
 247
 248
 249
 250
 251
 252
 253
 254
 255
 256
 257
 258
 259
 260
 261
 262
 263
 264
 265
 266
 267
 268
 269
 270
 271
 272
 273
 274
 275
 276
 277
 278
 279
 280
 281
 282
 283
 284
 285
 286
 287
 288
 289
 290
 291
 292
 293
 294
 295
 296
 297
 298
 299
 300
 301
 302
 303
 304
 305
 306
 307
 308
 309
 310
 311
 312
 313
 314
 315
 316
 317
 318
 319
 320
 321
 322
 323
 324
 325
 326
 327
 328
 329
 330
 331
 332
 333
 334
 335
 336
 337
 338
 339
 340
 341
 342
 343
 344
 345
 346
 347
 348
 349
 350
 351
 352
 353
 354
 355
 356
 357
 358
 359
 360
 361
 362
 363
 364
 365
 366
 367
 368
 369
 370
 371
 372
 373
 374
 375
 376
 377
 378
 379
 380
 381
 382
 383
 384
 385
 386
 387
 388
 389
 390
 391
 392
 393
 394
 395
 396
 397
 398
 399
 400
 401
 402
 403
 404
 405
 406
 407
 408
 409
 410
 411
 412
 413
 414
 415
 416
 417
 418
 419
 420
 421
 422
 423
 424
 425
 426
 427
 428
 429
 430
 431
 432
 433
 434
 435
 436
 437
 438
 439
 440
 441
 442
 443
 444
 445
 446
 447
 448
 449
 450
 451
 452
 453
 454
 455
 456
 457
 458
 459
 460
 461
 462
 463
 464
 465
 466
 467
 468
 469
 470
 471
 472
 473
 474
 475
 476
 477
 478
 479
 480
 481
 482
 483
 484
 485
 486
 487
 488
 489
 490
 491
 492
 493
 494
 495
 496
 497
 498
 499
 500
 501
 502
 503
 504
 505
 506
 507
 508
 509
 510
 511
 512
 513
 514
 515
 516
 517
 518
 519
 520
 521
 522
 523
 524
 525

WELCOME!

HOSTERRA SERVERS ACCESS ARE
SUBMITTED TO PRIVACY & SECURITY
POLICIES

LEGAL.HOSTERRA.EU/SSH

-----[HOSTERRA]-----

Ethical & Sustainable Hosting

```
[username@tabarly ~]#
```

SFTP access

For security reasons, the Web Hosting servers are only reachable via SFTP with keys (and not with a password). To access to your server you have to start by adding the key(s) you want to use.

Once a key added to your server, you can access it with any software that supports SFTP (Filezilla, Forklift, etc.). Make sure you use the following settings:

- Server: the full name of your server, for example `tabarly.hosterra.tech`
- Port: `22`
- Username: the username we sent you by email after your purchase
- Password: none

FTP access

For minimal security reasons, the Web Hosting servers are only reachable via **FTPs** (also called FTP TLS).

So, you must set your favorite software (Filezilla, Forklift, etc.) with the following parameters:

- Protocol: FTP TLS
- Server: the full name of your server, for example `tabarly.hosterra.tech`
- Port: `21`
- Username: the username we sent you by email after your purchase
- Password: the password for this user (initially sent to you by email, and that you have certainly already modified)

Mail services

Your Web Hosting server can be used as a mail server to allow you to host mailboxes, use webmail and connect mail applications.

Configuring the DNS

Before you can use your server as a mail server, you have to specify how users and other applications will access it. It is done via DNS records. Whether you use Hosterra's name servers or those of another provider, the settings are strictly the same.

If your domain is `example.com` and the IP address of your server `1.2.3.4`, you have to create the following records:

Type: `A`
Host: `mail`
Value: `1.2.3.4`

Type: `A`
Host: `webmail`
Value: `1.2.3.4`

Type: `MX`
Host: `@` (depending on your DNS provider, it can be your domain name `example.com.` (with a final dot), a blank string, a `@`, etc.)
Value: `mail.example.com`
Priority: `0`

Securing the mails delivery

To secure your mail server and the delivery of your e-mails, we recommend that you use the following three protocols:

SPF

The Sender Policy Framework (SPF) allows to declare your mail server as authorized to originate mail for your domain(s).

To configure it, you have to add a single dns record:

Type:

Host: (depending of your DNS provider, it can be your domain name , a blank string, a , etc.)

Value:

DKIM

DomainKeys Identified Mail (DKIM) is an e-mail authentication method designed to combat mail spoofing.

To configure it, you have to add two dns records. To get these two specific records, just access the Plesk interface of your server, then:

1. click, in the left side menu, on **Mail**;
2. click the **Mail Settings** tab;
3. check the **Use DKIM spam protection system[...]** at the bottom of the page;
4. get the 2 dns records to add by clicking on **How to configure external DNS**.

DMARC

Once SPF and DKIM are configured and operational, you can set Domain-based Message Authentication, Reporting and Conformance (DMARC), a standard email authentication protocol by just adding one more dns record:

Type:

Host:

Value:

If you configure DMARC before configuring and validating both SPF and DKIM, you will be unable to correctly send emails from your server.

Testing your configuration

To test your SPF + DKIM + DMARC configuration, you can use tools like:

- [Red Sift's Investigate tool](#)
- [M@ilGenius](#)
- [Mail-Tester](#)

Backup & Restore

Backing up your Web Hosting server

With the tools bundled with Plesk, you can choose to backup your entire server account without any external software or plugin.

When you are logged in Plesk, you can access the *backups manager* by opening the Plesk right-hand menu, then click on **Backup & Restore**:`backup-restore-en.webp`

Remote storage settings

Unless you want to make a local backup (on the same server), it is best to set up remote storage. By defining a remote storage as the target for your backups, you can be sure that your backups will be stored elsewhere than on the server itself. This is a simple precautionary measure to protect against data loss.

To define this remote storage, click on the upper **Remote Storage Settings** button.

In the opened screen you can select the type of remote storage you want to use as backup destination:

FTP and SFTP

It is a very professional solution. It allows you to use your own backup server (like a NAS), a professional file storage service (like the Flex or Vault services provided by Hosterra), etc. as backup destination. If you have choice, we recommend that you give priority to SFTP, which is a much more secure protocol than FTP.

Cloud drives (Dropbox, Google, OneDrive, etc.)

That's a simple solution, and sometimes free for small backup sizes, but it has a huge privacy implication. Choose this if you fully understand all the implications it has for you, your customers and the users of your sites.

Object storage (S3 Amazon, DigitalOcean and S3-compatible)

It's a professional solution. But it can be expensive, depending on the S3 provider. You have to understand what you are technically doing to use this type of remote storage.

If you don't see the remote storage type you want to use, it is because it is not yet activated on your server. You can ask us to activate it just by asking us in a ticket, it's free!

Instant backup

To perform an instant backup, click on the upper **Back Up** button in the *backups manager*.

In the opened screen just choose what you want to backup and the destination. The backup will start as soon you click on the "OK" button.

Note: if you choose to make local instant backups, the size of the backups will count towards your server disk quota.

Scheduled backup

You can ask Plesk to back up your account on a periodic basis. To do so, click on the upper **Schedule** button in the *backups manager*.

In the screen that opens, choose the backup frequency by selecting it (daily, weekly or monthly), then set the parameters of the backup it self.

If you want to save on storage size and bandwidth, you can choose incremental backup. If so, Plesk will backup only data that has been modified since the previous backup.

Note: if you choose to make local scheduled backups, the size of the backups will count towards your server disk quota.


If you have chosen *LiteSpeed Enterprise* or *LiteMage* as your web server when subscribing, remember to specify that the `lscache/.cm.log` file is to be excluded from any backup. Failure to do so will result in an error during backup.

Security

Managing SSH keys

Plesk allows you to manage SSH keys. These keys are needed when you want to access your server via SSH command-line, use a software (like FileZilla or Forklift) to upload files via SFTP, or set the backup system bundled with your account.

When you are logged in Plesk with the right user, you can access the *keys manager* by opening the Plesk right-hand menu, then click on **SSH Key**:



Adding a SSH key to your server

To enable other computer or service to connect to your server via SSH (SFTP, rSync, SSHFS, etc.), you need to add a SSH key relating to this computer or service. In most cases, a key is provided by the service you wish to connect from.

To import this key into your server, in the *keys manager*, just choose to add a key and paste the key content.

Note this key **MUST** contain a name, which is not always provided. If it's missing, you have to add it at the end of the key, after a space character (the name of the key itself must not contain spaces).

The format of the key to paste in Plesk should be something like that: `ssh-ed25519 ACR5fG...PKOe8MO`
`my_key_name`

Removing key(s) from your server

You can delete one or more SSH keys at any time by selecting it/them in the *keys manager* and clicking on the **Remove** button.

After the deletion of a key, the external computer or service that was using it to connect will no longer be able to connect to your server.

Changing your server password

The easiest way to change your server password is to do it from your Hosterra account: click on the service you want to manage and then in the window that opened, click in [the left side menu](#) on **Change Password** and follow the procedure.

It is imperative that you change your password after creating your server. The initial password was sent to you by email.

Server tools

Your Web Hosting server comes equipped with many pre-installed and always up to date common tools.

Using PHP, composer and WP-CLI

Your server is fully equipped to perform current PHP opérations from the command line:

PHP

PHP is ready to use, it can be invoked via the **php** command. The version installed on 01/10/2023 is 8.1.

```
> php -v
PHP 8.1.25 (cli) (built: Oct 27 2023 11:17:49) (NTS)
Copyright (c) The PHP Group
Zend Engine v4.1.25, Copyright (c) Zend Technologies
    with the ionCube PHP Loader v13.0.2, Copyright (c) 2002-2023, by ionCube Ltd.
    with Zend OPcache v8.1.25, Copyright (c), by Zend Technologies
```

If you want to use another version of PHP, you will find them in the following paths:

```
/opt/plesk/php/8.0/bin/php
/opt/plesk/php/8.1/bin/php
/opt/plesk/php/8.2/bin/php
```

Please note that available PHP versions on Hosterra servers evolve over time. We systematically remove any old version that is no longer being [maintained for security](#) by The PHP Group. We add any new version as soon as it is available.

Composer

Composer is also ready to use via the **composer** command.

```
> composer -V
Composer version 2.6.5 2023-10-06 10:11:52
```

Note that the composer version available on Hosterra servers is always the most recent version.

WP-CLI

WP-CLI is also ready to use via the **wp** command.

```
> wp cli version  
WP-CLI 2.9.0
```

Note that the version of WP-CLI available on Hosterra servers is always the most recent version.

Using Node, NPM and NPX

Your server is fully equipped to perform current NodeJS opérations from the command line:

Node

Node is ready to use, it can be invoked via the **node** command. The version installed on 01/10/2023 is 18.

```
> node -v  
v18.18.2
```

If you want to use another version of Node, you will find them in the following paths:

```
/opt/plesk/node/18/bin/node  
/opt/plesk/node/20/bin/node  
/opt/plesk/node/21/bin/node
```

Please note that available NodeJS versions on Hosterra servers evolve over time. We systematically remove any old version that is no longer being [maintained for security](#). We add any new version as soon as it is available.

NPM & NPX

NPM and NPX are also ready to use via the npm and npx commands.

```
> npm -v  
10.2.2
```

Note that the NPM and NPX versions available on Hosterra servers are always the most recent versions.

Rendering html to pdf or image

Your server is equipped to perform **html to pdf or image** rendering from the command line:

WkHtmlToPdf

WkHtmlToPdf is ready to use, it can be invoked via the **wkhtmltopdf** command. The version installed on 01/10/2023 is 0.12.6.

```
> wkhtmltopdf -V  
wkhtmltopdf 0.12.6.1 (with patched qt)
```

Note that the WkHtmlToPdf version available on Hosterra servers are always the most recent version.

WkHtmlToImage

WkHtmlToImage is ready to use, it can be invoked via the **wkhtmltoimage** command. The version installed on 01/10/2023 is 0.12.6.

```
> wkhtmltoimage -V  
wkhtmltoimage 0.12.6.1 (with patched qt)
```

Note that the WkHtmlToImage version available on Hosterra servers are always the most recent version.